

IPS hand wash stations and sanitaryware

Virseal Ultimate IPS hand wash stations: one-piece construction with zero joint lines.

HTM64 compliant sink taps set and stainless steel sink bowls



Virseal Ultimate IPS hand wash station

Virseal Ultimate IPS hand-wash stations: one-piece carcase constructed from HP laminate-faced moisture resistant MDF. Face panels from solid grade laminate, providing total water resistance. Available as full height or half height units. Half height units are supplied with sloping tops.



Features and benefits

- One-piece carcase Zero joint lines aids infection control
- 25mm flash gaps Aid infection prevention and cleaning
- Compliant Built to HTM standards and compliant with clinical standards
- Fast, easy install Supplied with fixing brackets
- Removable front panels on Keku system Easy to remove and replace
- Versatile Full-height unit can be simply cut to suit ceilings 2400-2800mm high

Colour	Size (HWD)	Code
White	2800 x 700 x 200mm	VIRU/28/07/W
Grey	2800 x 700 x 200mm	VIRU/28/07/G
White	1280 x 700 x 200mm	VIRU/12/07/W
Grey	1280 x 700 x 200mm	VIRU/12/07/G

IPS hand wash basins

Contour 21



50cm basin with back outlet, complete with fixing brackets and waste kit.

Code S215401

Countour 21+



50cm basin supplied with anti-splash fin, supplied complete with fixing brackets and 21 handwash basins. waste kit.

Code S0430HYSM

Resealing bottle trap



White bottle trap suitable for all Contour

415125









HTM64 compliant tap sets

Markwik pillar mounted



Markwik demountable pillar mixer tap (TB H2a) with integral thermostat and single sequential lever operation. With or without detachable spout.

IPS hand wash stations and sanitaryware

Option	Code
Detachable spout	SF404734
Non-detachable spout	SF270336

Rada wall mounted

Markwik wall mounted



Markwik demountable wall mixer tap (TB H2a) with integral thermostat and single sequential lever operation. Detachable spout.

C	oc	le		
		_		

Horne wall mounted



Horne Optitherm tap with 200mm projection. Dual levers for improved infection control. Tap design allows for easy access to parts for servicing.

Code SF454200

Rada wall & pillar sensor taps

Rada Safetherm thermostatic wall mixer

tap, TMV3. Chrome plated brass open

Single sequential lever operation.

Code

SF404804

flow straightener with isolating ball valves.



Rada Intelligent care panel mounted or pillar sensor tap. Non-touch flow control, programmable with 12-month data log.

Option	Code
MX1 60NUK	ST424817
MX1 20NUK	ST424818



Code
SF424682

Rada pillar mounted



Rada Safetherm thermostatic pillar mixer tap, TMV3. Chrome plated brass open flow straightener with isolating ball valves. Single sequential lever operation.

SF424814


Bristan wall mounted



Bristan TMV3 panel mounted mixer tap with integral thermal flush mechanism. Tap design allows for easy access to parts for servicing.

Code ST424819

Bristan single lever taps



Single lever operated tap sets.

ode	
F107444 (set)	

Swan mixer lever tap



Lever operated mixer tap set suitable for beverage and kitchen areas.

Code	
SE403220	

HTM Medical grade stainless steel sink bowls

HTM sink bowls are supplied in Grade 304 stainless steel with satin polish finish. All bowls are supplied without an overflow as standard to help with infection prevention requirements.

Inset bowls




Inset bowls are 180mm deep and supplied with a small, raised rim around the top of the bowl that seals down to the work surface and can be used with all worktop materials. Waste kit included.

Size	Code
420mm x 350mm	SA214235

Inset with drainer





This is the most popular bowl type and can be used with all worktop materials. Supplied with or without 200mm tap hole centres. Standard waste kit included.

Bowl size 420mm x 345mm x 180mm deep.

Overall dimensions: 940mm x 485mm.

Туре	Tap holes	Code
Left-hand drainer	No	SA414411
Right-hand drainer	No	SA414412
Left-hand drainer	Yes	SA414421
Right-hand drainer	Yes	SA414422

Lay-on sink bowl



Sink bowl with drainer suitable for mounting over a 1000mm wide base cabinet or stainless steel support legs or wall mounted brackets. Bowl supplied with 200mm tap hole centres. Standard waste kit included.

Bowl size 400mm x 400mm x 200mm deep.

Overall dimensions: 1000mm x 600mm.

Туре	Code
Left-hand drainer	SA22045LT
Right-hand drainer	SA22045RT
Wall brackets	SA26523
Front support legs	SA26524

















